



Building 5

BUILDING DATA

Occupancy	: B
Year of First Occupancy	: 1999
Type of Construction	: Type V - 1 Hour
Number of Floors	: 3
Gross Building Area	: 148,848
Office Building Gross Area	
Floor 1 Area	: 49,616
Floor 2 Area	: 49,616
Floor 3 Area	: 49,616
Building Height Dimensions	
Floor to Floor Height	: 13'-6"
Floor to Ceiling Clear Height	
Building Height (to top of Roof Screen)	: 52'-6"
Warm Shell Interior Materials	
Lobby	
Elevator	: 2 Hydroelectric Elevators
Restrooms	: 1 men's & women's Restroom on Each Floor, 1 Unisex on 1st
Showers	: 1 Men's and 1 Women's located on 1st Floor
Stairwells	: 3 Stairwells
Window Coverings	: Premium Meco Shades

SITE

Vehicular Circulation:	: 2 Entry Driveways off Gateway Boulevard
Parking and Access	: T24 and ADA Access
Emergency Vehicle Access Road	: Between Buildings 5 & 6
Parking Ratio	: 3.2/1000
Bicycle Racks and Lockers	: 28 Lockers shared with Bldg 6
Landscape Features	: Pond/Water Feature, Park benches, 5 Trash receptacles, 6 Ash Urns
Docks	: 1 Dock Leveler
Authorized Uses	
Card Entry Security	: Yes

STRUCTURAL SYSTEM

Bay Size: 32 X 32	: Structural Importance Factor 1.25
Design Load:	: 100 PSF Live Load, 30 PSF Dead Load
Roof: Metal Deck	: Design Load 20 PSF

MECHANICAL SYSTEMS

Cooling Towers	: N/A
Boilers	: 3 Raypack 3,189,000 BTU total
Chillers – Serving Office Areas	: 2- Trane RTHD Rotary Chillers Models: 1-DIG2G2
VAV Modular Air Handlers "Boxcars"	: 5 Trane Intell-ipack Boxcars, 450 Tons Total
Exhaust	: 2 Greenheck Exhaust Fans

ELECTRICAL SYSTEMS

480 V Power	: MSB Rating- 4000 Amp; Main breaker Rating- 4000 Amp
Site & Building Emergency Generators	: 1- 750 KW Life Safety Gen 1350 Gal Belly total
Uninterrupted Power Supply (UPS)	: 1- 225 KVA Gel Cell Battery. Not in Service: 1-150 KVA; 1- 40 KVA Gel Cell Battery

DATA COM SYSTEMS

IDF Room	: 1 On The Second Floor
Server Room	: Yes

Owned and managed by:



**Gregg Domanico, Steve Bouret,
John Olenchalk, Erik Corrigan**

www.pacificresearchcenter.com

